

SAFETY DATA SHEET

SECTION I IDENTIFICATION

| | | | |
|---------------------|-----------------------------|------------------------|------------------------|
| PRODUCT NAME: | PLUMB GUARD -100 | | Pg. 1/4 |
| PRODUCT CODE: | Fluid 2136 | P/N 5086 - 5087 - 5088 | Version 7 |
| CHEMICAL FAMILY: | Glycols | | 6/3/2013 |
| | | | Meets GHS requirements |
| MANUFACTURERS NAME: | CUL-MAC INDUSTRIES | | |
| ADDRESS: | 3720 S. VENOY RD. | | |
| | WAYNE, MI 48184 | | |
| PHONE: | (800) 626-5089 | | |
| EMERGENCY PHONE | (866) 214-4235 (3E COMPANY) | | |

SECTION II HAZARD IDENTIFICATION

ROUTES OF ENTRY: Skin, Eyes, Ingestion

HEALTH HAZARDS: No specific hazards under normal use conditions
(acute & chronic)

CARCINOGENICITY: Not listed by OSHA, IARC, OR NTP

SECTION III COMPOSITION / INFORMATION ON INGREDIENTS

| | | | | |
|------------------|----------|-------|----------|-----------|
| CHEMICAL: | % by wt. | CAS # | OSHA PEL | ACGIH TLV |
|------------------|----------|-------|----------|-----------|

All ingredients are Non-Hazardous according to OSHA CFR 29. Part 1910.1200, Subpart Z

SECTION IV FIRST AID MEASURES

SKIN CONTACT: Remove contaminated clothing. Flush exposed area with water and follow by washing with soap if available

EYE CONTACT: Flush immediately with gently running water for a minimum of 15 minutes. Rest eyes for 30 minutes. If redness, burning, blurred vision, or swelling persist, seek medical attention.

INGESTION: In general no treatment is necessary unless large quantities are swallowed, however, get medical advice.

SECTION V FIRE FIGHTING MEASURES

FLASH POINT 210° F / 99° C

EXTINGUISHING MEDIA Large fires should only be fought by properly trained fire fighters. Alcohol-resistant foam, water spray or fog. Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only.

SPECIFIC HAZARDS N/A

PRODUCT NAME: **PLUMB GUARD -100**
PRODUCT CODE: Fluid 2136 P/N 5086 - 5087 - 5088
CHEMICAL FAMILY: Glycols

Pg. 2/4
Version 7
6/3/2013

Meets GHS requirements

SECTION VI ACCIDENTAL RELEASE MEASURES

SPILL OR LEAK PROCEDURES: Dike area. Using any absorbent material, collect in suitable and properly labeled open containers. Wash the spill site with large quantities of water

SECTION VII HANDLING & STORAGE

WASTE DISPOSAL METHOD: DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the responsibility of the waste generator.

SPECIAL PRECAUTIONS: Handle in accordance with good industrial hygiene and safety precautions

STORAGE: Store away from direct sunlight or ultraviolet light. Keep container tightly closed when not in use. Store in a dry place

SECTION VIII EXPOSURE CONTROLS - PERSONAL PROTECTION



VENTILATION:

Use good general ventilation

RESPIRATORY PROTECTION:

Not generally needed

GLOVES:

Neoprene or Nitrile is recommended.

EYE PROTECTION:

Chemical splash goggles when transferring is taking place

CLOTHING AND FOOTWEAR:

Not generally needed

SECTION IX PHYSICAL/CHEMICAL CHARACTERISTICS

| | | | |
|---------------------------------|--------------------------|--------------------------|--------------|
| BOILING POINT: | > 200° F | pH: | 9.0 - 10.0 |
| FREEZING POINT: | -68° F (begins to slush) | SPECIFIC GRAVITY: | 1.05 |
| VAPOR PRESSURE: | N/A | PERCENT VOLATILE: | 36 |
| VAPOR DENSITY (AIR = 1): | N/A | APPEARANCE: | reddish pink |
| SOLUBILITY IN WATER: | Complete | ODOR: | none |
| EVAPORATION RATE: | N/A | | |
| (BUTYL ACETATE = 1) | | | |

PRODUCT NAME: **PLUMB GUARD -100**
PRODUCT CODE: Fluid 2136 P/N 5086 - 5087 - 5088
CHEMICAL FAMILY: Glycols

Pg. 3/4
Version 7
6/3/2013

Meets GHS requirements

SECTION X STABILITY AND REACTIVITY DATA

STABILITY: Stable

HAZARDOUS POLYMERIZATION: Will not occur

**INCOMPATIBILITY:
(CONDITIONS TO AVOID)** Heat, Sparks, Open Flame and Strong Oxidizing Agents.

HAZARDOUS DECOMPOSITION: Carbon Monoxide

SECTION XI TOXICOLOGICAL INFORMATION

This product has not been tested as a whole

SECTION XI TOXICOLOGICAL INFORMATION

This product has not been tested as a whole

SECTION XIII DISPOSAL CONSIDERATIONS

WASTE DESCRIPTION: Clean up and dispose of waste in accordance with all federal, state, and local environmental regulations.

GENERAL DISPOSAL CONSIDERATIONS: None known

SECTION XIV TRANSPORT INFORMATION

PROPER SHIPPING NAME: COMPOUNDS, CLEANING LIQUID

UN/NA NUMBER:

HAZARD CLASS:

PACKING GROUP:

REPORTABLE QUANTITY:

EMERGENCY RESPONSE GUIDEBOOK:

PLACARD/LABELS REQUIRED:

SECTION XV REGULATORY INFORMATION

OSHA HAZARDOUS CHEMICAL: NO

SARA 302 COMPONENTS: none

SARA 311/312: Immediate () Delayed () Fire () Reactive ()
Sudden release of Pressure ()

SARA 313 COMPONENTS: none

PRODUCT NAME: **PLUMB GUARD -100**
PRODUCT CODE: Fluid 2136 P/N 5086 - 5087 - 5088
CHEMICAL FAMILY: Glycols

Pg. 4/4
Version 7
6/3/2013

Meets GHS requirements

SECTION XVI OTHER INFORMATION

HMIS:

Health = 1; Flammability = 0; Reactivity = 0

DISCLAIMER

The information herein has been from sources believed to be accurate, reliable and up to date to the best of our knowledge. However, we cannot give any guarantees regarding information from other sources and do not make any warranties nor assume any liability from its use or misuse.

End of SDS